

Link do produktu: <https://airsup.eu/concorde-rg-129-aircraft-battery-p-39664.html>



Concorde RG-129 Aircraft Battery

Cena brutto	26 124,20 zł
Cena netto	21 239,19 zł
Kod producenta	RG-129

Opis produktu

Overview

Avionics Battery for lighting, standby, emergency power. Protects and extends the life of other avionics. Concorde Emergency Batteries float directly on the DC buss with no need for a dedicated charger. This results in a high inrush current which extends battery life with fast recovery time from discharge. With the battery floating directly on the buss, transient spikes in the DC power are absorbed. These batteries are self regulating on charge and will take only the current required to maintain it at full charge. Test Temperature @ 23°C (74°F) = C1 is 3.8 Ah Test Temperature @ -18°C (0°F) = C1 is 2.5 Ah Test Temperature @ -30°C (-22°F) = C1 is 2.0 Ah
Recombinant Gas - The RG Series are low resistance, valve regulated lead acid (VRLA) batteries.

- Maintenance free
- Constructed with non removable vent valves - no addition of electrolyte or water required
- Aerobatic: Non spillable at any altitude or attitude
- Factory tested to assure airworthiness
- Manufactured with absorbed glass mat separators (AGM)
- Internal DC Heater
- MS 3320 7.5 AH Circuit Breaker Output

Specifications

- Primary Aircraft Purpose: Emergency Aircraft Battery
- Voltage: 24v
- Rated Capacity C1 = 1 hr. rate in ampere hours: 3.80
- Max Weight: 11.20 lb / 5.1 kg
- Test Temperature @ 23°C (74°F) = C1 is 3.8 Ah
- Test Temperature @ -18°C (0°F) = C1 is 2.5 Ah
- Test Temperature @ -30°C (-22°F) = C1 is 2.0 Ah

Documents

- [FAA-PMA Installation Eligibility List](#)
- [Limited Warranty](#)
- [Warranty Card](#)
- [RG Series Aircraft Battery Owner/Operator Manual](#)
- [Storage and Boost Charge Recommendations](#)
- [Valve Regulated \(RG Series\) Lead Acid SDS](#)
- [Concorde Battery AS9100 Certificate of Registration](#)